


Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.



# UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 7,026,554

Page 1 of 1

APPLICATION NO.: 10/605,489

ISSUE DATE : 04/11/06

INVENTOR(S) : Martin Kin-Fei Lee, Patricia Chapman Irwin, Hsin-Pang Wang, and Yu Wang

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title incorrectly reads: STATOR BAR WITH EXRUDED GROUNDWALL INSULATION

Title should read: STATOR BAR WITH EXTRUDED GROUNDWALL INSULATION

**Certificate**  
**MAY 10 2006**  
**of Correction**

MAILING ADDRESS OF SENDER (Please do not use customer number below):

HARTMAN AND HARTMAN  
552 East 700 North  
Valparaiso, IN 46383

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: P.O. Box 1450, Alexandria, VA 22313-1450.

I hereby certify that this document is being deposited with the United States Postal Service with sufficient postage for first class mail in an envelope addressed to Mail Stop Certif. of Corrections Commissioner for Patents, PO Box 1450, Alexandria, VA 22313-1450, on the date shown below:

If you

Signature

Mary A. Harris

Date

4/24/06

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,026,554

APPLICATION NO.: 10/605,489

ISSUE DATE : 04/11/06

INVENTOR(S) : Martin Kin-Fei Lee, Patricia Chapman Irwin, Hsin-Pang Wang, and Yu Wang

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title incorrectly reads: STATOR BAR WITH EXRUDED GROUNDWALL INSULATION

Title should read: STATOR BAR WITH EXTRUDED GROUNDWALL INSULATION

MAILING ADDRESS OF SENDER (Please do not use customer number below):

HARTMAN AND HARTMAN  
552 East 700 North  
Valparaiso, IN 46383

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND

I hereby certify that this document is being deposited with the United States Postal Service with sufficient postage for first class mail in an envelope addressed to Mail Stop Certif. of Corrections Commissioner for Patents, PO Box 1450, Alexandria, VA 22313-1450, on the date shown below:

If you

Signature

Mary A Harris

Date

4/24/06